


INSTALLATION INSTRUCTIONS				Description
Part No	1465914000	Date	11/12/2014	Installation instructions for CONTROLLER FUNCTION KIT CODE 1466161000
Page	1 / 12	Release	3	
Issue by	R&D	Machine type	-	
Name	BASSANETTI	Product L4 code		

ISTRUZIONI DI MONTAGGIO PER KIT SCHEDA FUNZIONI
INSTALLATION INSTRUCTIONS FOR CONTROLLER MAIN MACHINE KIT


N°	Q.ty	DESCRIZIONE/DESCRIPTION
A	1	SCHEDA CONTROLLO FUNZIONI/FUNCTION MACHINE BOARD
B	1	DIODO/DIODE



Prima di effettuare le varie operazioni procedere nel modo seguente: / Before performing any operation proceed as follows:


- Portare la macchina su un terreno pianeggiante / Drive the machine on a level ground.
- Portare l'interruttore di avviamento in posizione OFF / Turn the ignition key to OFF

INSTALLATION INSTRUCTIONS				Description
Part No	1465914000	Date	11/12/2014	Installation instructions for CONTROLLER FUNCTION KIT CODE 1466161000
Page	2 / 12	Release	3	
Issue by	R&D	Machine type	-	
Name	BASSANETTI	Product L4 code		



Set the switch in this way if you mount WET batteries onboard (this should be the DEFAULT setting from factory)

Settare il microswitch come mostrato, se si montano batterie di tipo WET (questo è il settaggio di DEFAULT dal costruttore)



Set the switch in this way if you mount GEL batteries onboard

Settare il microswitch come mostrato, se si montano batterie di tipo GEL

INSTALLATION INSTRUCTIONS				Description
Part No	1465914000	Date	11/12/2014	Installation instructions for CONTROLLER FUNCTION KIT CODE 1466161000
Page	3 / 12	Release	3	
Issue by	R&D	Machine type	-	
Name	BASSANETTI	Product L4 code		

QUELLI CHE SEGUONO SONO LE ISTRUZIONI DA APPLICARE A 3 DIFFERENTI PIATTARME MACCHINA: INDIVIDUARE LE ISTRUZIONI CORRETTE PER LA MACCHINA SULLA QUALE SI DEVE OPERARE.

THE FOLLOWING INSTRUCTIONS ARE MARE FOR 3 DIFFERTNS MACHINE MODELS: FIND THE CORRECT INSTRUCTION BETWEEN THE 3 PROPOSED.

SR 1000 S B – FLOORTEC R360 B – TERRA 3700B – CLARKE RSW37

- Smontare la copertura dietro al sedile.
- *Remove the cover behind the seat.*

1



- Individuare il teleruttore della spazzola centrale.
- *Locate the main broom contactor.*

2



INSTALLATION INSTRUCTIONS				Description
Part No	1465914000	Date	11/12/2014	Installation instructions for CONTROLLER FUNCTION KIT CODE 1466161000
Page	4 / 12	Release	3	
Issue by	R&D	Machine type	-	
Name	BASSANETTI	Product L4 code		


- Scollegare i cavi dalla bobina del teleruttore.
- *Remove the wires connected to contactor's coil.*

3



- Connettere il diodo come in figura, rispettando la polarizzazione.
- *Connect the diode as shown in the pictures, taking care of the polarity.*

4



INSTALLATION INSTRUCTIONS				Description
Part No	1465914000	Date	11/12/2014	Installation instructions for CONTROLLER FUNCTION KIT CODE 1466161000
Page	5 / 12	Release	3	
Issue by	R&D	Machine type	-	
Name	BASSANETTI	Product L4 code		

- Collegare nuovamente la bobina.
- *Reconnect the coil.*

5



- Montare il coperchio.
- *Restore the cover.*

6



INSTALLATION INSTRUCTIONS				Description
Part No	1465914000	Date	11/12/2014	Installation instructions for CONTROLLER FUNCTION KIT CODE 1466161000
Page	6 / 12	Release	3	
Issue by	R&D	Machine type	-	
Name	BASSANETTI	Product L4 code		

SR 1100 S B – FLOORTEC R 570 B - TERRA 4300 B

SR 1101 B – FLOORTEC R 570 B – TERRA 4300 BS

- Localizzare il vano componenti elettrici.
- *Locate the electrical components box.*


1



INSTALLATION INSTRUCTIONS				Description
Part No	1465914000	Date	11/12/2014	Installation instructions for CONTROLLER FUNCTION KIT CODE 1466161000
Page	7 / 12	Release	3	
Issue by	R&D	Machine type	-	
Name	BASSANETTI	Product L4 code		

- Localizzare il teleruttore della spazzola centrale.
- *Locate the main broom's contactor.*

2



- Scollegare i cavi dalla bobina del teleruttore.
- *Remove the wires connected to contactor's coil.*


3



INSTALLATION INSTRUCTIONS				Description
Part No	1465914000	Date	11/12/2014	Installation instructions for CONTROLLER FUNCTION KIT CODE 1466161000
Page	8 / 12	Release	3	
Issue by	R&D	Machine type	-	
Name	BASSANETTI	Product L4 code		

- Connettere il diodo come in figura, rispettando la polarizzazione.
- *Connect the diode as shown in the pictures, taking care of the polarity.*

4



- Collegare nuovamente la bobina.
- *Reconnect the coil.*

5



INSTALLATION INSTRUCTIONS				Description
Part No	1465914000	Date	11/12/2014	Installation instructions for CONTROLLER FUNCTION KIT CODE 1466161000
Page	9 / 12	Release	3	
Issue by	R&D	Machine type	-	
Name	BASSANETTI	Product L4 code		

- Montare il coperchio.
- Restore the cover.

6



INSTALLATION INSTRUCTIONS				Description
Part No	1465914000	Date	11/12/2014	Installation instructions for CONTROLLER FUNCTION KIT CODE 1466161000
Page	10 / 12	Release	3	
Issue by	R&D	Machine type	-	
Name	BASSANETTI	Product L4 code		

SR 1301 B – FLOORTEC R 670 B – TERRA 5200 B
Prima del S/N – Before S/N: 091508936

- Rimuovere il coperchio del vano componenti elettrici.
- *Remove the cover of the electrical components box.*


1



INSTALLATION INSTRUCTIONS				Description
Part No	1465914000	Date	11/12/2014	Installation instructions for CONTROLLER FUNCTION KIT CODE 1466161000
Page	11 / 12	Release	3	
Issue by	R&D	Machine type	-	
Name	BASSANETTI	Product L4 code		


- Localizzare il teleruttore della spazzola centrale
- *Locate the main broom's contactor*

2



- Se non presente connettere il diodo al cavi della bobina del teleruttore come mostrato in figura, rispettando la polarità.
- *If not available connect the diode to the wires of main broom contactor's coil as showed in the picture. Taking care of the polarity.*

3



INSTALLATION INSTRUCTIONS				Description
Part No	1465914000	Date	11/12/2014	Installation instructions for CONTROLLER FUNCTION KIT CODE 1466161000
Page	12 / 12	Release	3	
Issue by	R&D	Machine type	-	
Name	BASSANETTI	Product L4 code		

- Montare il coperchio.
- Restore the cover.

4

