







Pressure Gauge for fuel pressure



Benefits:

Replacement pressure gauge for the fuel pressure gauge kit, 17246.



Soot pump



Benefits:

This tool is a must in order to adjust the boiler correct to minimize the polution from the boiler and uptimize the boiler lifetime.



Water test paste (Water detection paste)



Benefits:

Can detect if diesel fuel, oil etc. is contaminated with water.



Fuel pressure gauge kit



Benefits:

This tool is a must for adjusting correct fuel pump pressure.



Silikone Paste




Benefits:

For lubricating o-rings and seals for easier and safer mounting.



Setting tool



Benefits:

Test setting tool for: Attix 3-5-7-9.



Grease - food grade - for valves



Benefits:

Grease which is approved for use in the food industry and occasionally in contact with food.



Puller for impeller




Benefits:

Puller for easy dismount of impellers.



Manometer 0-315 bar G 1/4"



Benefits:

Manometer 0-315 bar with 1/4" threads.



Hose f. test manometer D2x800 400 barM12x1,5/G1



Benefits:

Hose for test manometer 0-315 bar 1/4".



Test manometer for 27x1,5 mm thread outlet



Benefits:

Test manometer for old machines with 27x1,5mm outlet threads.



Setting restrictor for test

62480



Benefits:

Test setting slot for reducing air flow on Attix 3-5-7-9.



EC Board tester



Benefits:

Test equipment for EC motors in Attix 3-5-7-9.



PH value tester



Benefits:

Ph value tester, for quick PH measurement.



Pliers for circlip



Benefits:

Especially very helpfull for the circlip in the bottom of the C3 Bypass valve.



Puller body



Benefits:

Puller legs fits exactly on this puller body, and is quick and safe to use.



Punch f. mounting U-sleeve in spray handle



Benefits:

Punch for easy and safe installation of U-sleeve, 3000924, in spray handle.



Puller legs for C3 wobble disc – Left & Right



Benefits:

A must for correct and safe dismount of C3 wobble disc.
Puller 1205715 is needed too.



Puller leg for NA6 & NA6+ wobble disc – Left & Right



Benefits:

A must for correct and safe dismount of NA6 & NA6+ wobble disc.

2 puller legs needed as well as 1 puller body 1205715.



Test manometer



Benefits:

A must have – for every service technician.
Test manometer for testing/setting the various Nilfisk pumps.



Fuel pressure gauge



Benefits:

Pressure gauge for measuring fuel pump pressure on hot water models.



Protection for motor shaft



Benefits:

Protection used for protecting the oil seal in the C3 D-bearing cover when installing the D-bearing cover.



Puller legs for fan C3 motor (Set of 2)



Benefits:

Puller legs for easy dismount of C3 motor fan.

Puller 1205715 is needed too.



Box spanner 17 mm extra deep



Benefits:

This 17 mm box spanner, which is extra deep, is needed for dismounting the 8 x 10 mm nuts holding the C3 cylinder block.



Protection for mounting O-ring on C3 stay bolts



Benefits:

This protection is needed when mounting the Orings on the C3 stay bolts.

If not used there is a high risk that the O-rings will be destroyed on the threads.



Tools for by-pass valve cone



Benefits:

Special tool for valve cone in by-pass valve. (Old MH 4 & 5 FA with NA5.2 pump).



Puller complete for valve seat



Benefits:

Puller for dismounting valve seats in pumps.



Puller part for 1216506



Benefits:

Puller part for puller 1216506.



Mounting punch for textile water seals C3 & NA6




Benefits:

Mounting punch for installing the primary textile water seals in the C3 & NA6 pump.



Punch f/ sliding ring and U-sleeve



Benefits:

Mounting punch f sliding ring and U-sleeve.



Punch for wobble disc mounting



Benefits:

Mounting punch for wobble disc. MC 5, and 30 series pump.



Puller for valve seat M8



Benefits:

Puller for plastic valve seats M8.



Punch for U-sleeve



Benefits:

Punch for safe mounting of U-sleeve.



Adapter for test manometer



Benefits:

Adapter to mount between test manometer and high pressure hose.



Punch for oil seals C3



Benefits:

Safe and secure punch for installing the C3 oil seals.



Pressure gauge for test



Benefits:

Test pressure gauge for consumer products.



Wrench set 14 mm



Benefits:

14 mm wrenches for adjusting unloader.



Quick coupling Industry



Benefits:

Quick coupling Industry, with inner ¼" threads for mounting test nozzle with ¼" outer threads.



Lubricating grease

5218609

Benefits:

COMING LATER



Puller for valve seat M4



Benefits:

Puller for plastic valve seats M4.



Puller for valve seat M6



Benefits:

Puller for plastic valve seats M6.



Test gauge for "profi"



Benefits:

Test gauge for old machines.



Test gauge for Consumer



Benefits:

Test gauge for pressure test of consumer products.



Service Tool Box




Benefits:

Interface box for NEO PCBA communication to laptop.



Jumper F. Service Time Reset



Benefits:

With this jumper the service time can be reset on e.g.MH models without connecting with the Nilfisk Service Tool.



Test manometer compl. XT version



Benefits:

Test manometer for XT model.



Lifting jack



Benefits:

Support for MH machine when dismounting the heat exchanger.



Unisilikon L250L 60 g



Benefits:

Silicone for greasing pump components before assembly.



Tool for inlet fittings



Benefits:



Calibration switch w/wires



Benefits:



Setting Tool



Benefits:

Setting Tool needed for calibration of pressure switch in AERO 26-XX



Data logger & Power supply/charger



Benefits:

Data logger & Power supply/charger.



Service crane

301001078



Benefits:

Service crane for easy and safe removal of heat exchangers.



Support for service crane



Benefits:

Support for service crane. Used on machines that does not have this device as standard.



Service Time change plug 5-pol



Benefits:

5-pol plug for changing the service time on older Nilfisk hot water models.



Special tool – oil seal (Shaft) – NP5 pump



Benefits:

Special tool for mounting the shaft oil seal in the NP5 pump.



Special tool – oil seal (piston) – NP5 pump



Benefits:

Special tool for mounting the NP5 pump oil seals.



Special tool – oil seal (piston) – NP3 pump



Benefits:

Special tool for mounting the NP3 pump oil seals.



Special tool – oil seal – NP3 pump




Benefits:

Special tool for mounting the shaft oil seal in the NP3 pump.



Calibrate flow sensor Attix



Benefits:

Sensor for calibrating the flow sensor in Attix

